

Bleachers

• AN SRP SITE AMENITIES BUYER'S GUIDE •



Durable. Comfortable. Affordable.





Superior seating for a superior lifestyle.

At **Superior Recreational Products**, we proudly offer 2014 International Building Code Compliant all-aluminum bleachers for a variety of indoor and outdoor venues. Each bleacher style provides a quality and durable solution for those looking to expand their recreational space; all of our bleachers feature clear, anodized aluminum seat planks for a durable, corrosion resistant surface and mill-finish foot boards for added traction. No matter the style, you'll find a bleacher that will suit your individual needs, as well as a piece of craftsmanship that will last.

02 LOW RISE

03 TIP AND ROLL

04 NON-ELEVATED

05 ELEVATED

06 TRANSPORTABLE




Low Rise Bleachers

6" rise per row height



Our all-aluminum Low Rise Bleacher is a great economical choice perfect for a variety of venues, such as **soccer and softball fields** found at recreation centers. All of our Low Rise Bleachers have a 6" rise per row and a 24" tread depth.



3 ROW BL3XXLR

Available Lengths	7.5', 9', 15', 21', 27'
First Row Height	10.5"
Width	4' 11.5"
Height	1' 10.5"
Net Seating Capacity	<ul style="list-style-type: none">• 7.5': 15 seats• 9': 18 seats• 15': 30 seats• 21': 42 seats• 27': 54 seats

4 ROW BL4XXLR

Available Lengths	7.5', 9', 15', 21', 27'
First Row Height	10.5"
Width	6' 11.5"
Height	2' 4.5"
Net Seating Capacity	<ul style="list-style-type: none">• 7.5': 20 seats• 9': 24 seats• 15': 40 seats• 21': 56 seats• 27': 72 seats

Tip and Roll Bleachers


tip up and roll for easy storage



PERFECT
FOR:



SEATS
BETWEEN: 15-54




3 ROW BL3XXTNR


Available Lengths	7.5', 9', 15', 21', 27'
First Row Height	11.5"
Width	5' 5.5"
Height	1' 11.5"
Net Seating Capacity	<ul style="list-style-type: none">• 7.5': 15 seats• 9': 18 seats• 15': 30 seats• 21': 42 seats• 27': 54 seats

Our all-aluminum Tip and Roll Bleachers are perfect for indoor gym use as they feature ***non-marring swivel caster wheels*** and rubber pads to protect your floors. All of our Tip and Roll Bleachers have a 6" rise per row and a 24" tread depth.

SHADE *your* BLEACHERS



HANGING CANTILEVER





T-CANTILEVER

Non-Elevated Bleachers

first row is 17" above grade



Our all-aluminum Non-Elevated Bleacher is a great choice for a mid-sized venue. All models features a chain-link guardrail and most models feature a 4' center aisle. All of our Non-Elevated Bleachers have an 8" rise per row and a 24" tread depth.



5 ROW BL5XXNE

Available Lengths	15', 21', 27', 33'
First Row Height	17"
Width	9' 6.5"
Height	7' 11.5"
Net Seating Capacity	• 15': 42 seats • 27': 74 seats • 21': 54 seats • 33': 94 seats

10 ROW BL10XXNE

Available Lengths	15', 21', 27', 33'
First Row Height	17"
Width	19' 6.5"
Height	11' 3.5"
Net Seating Capacity	• 15': 82 seats • 27': 144 seats • 21': 104 seats • 33': 184 seats

15 ROW BL15XXNE

Available Lengths	21', 27', 33'
First Row Height	17"
Width	29' 6.5"
Height	14' 7.5"
Net Seating Capacity	• 21': 154 seats • 33': 274 seats • 27': 214 seats


Elevated Bleachers

platform is elevated 32" above grade




Our all-aluminum Elevated Bleacher is a great choice for a large-sized venue. All models features a chain-link guardrail and a 4' center aisle. All of our Elevated Bleachers have an 8" rise per row and a 24" tread depth.


SHADE your BLEACHERS



HANGING CANTILEVER



T-CANTILEVER



5 ROW BL5XXE

Available Lengths	21', 27', 33'
First Row Height	40"
Width	14' 6.5"
Height	10' 7.5"
Front Walkway Elevation	32" above grade
Front Walkway Width	60"
Net Seating Capacity	• 21': 54 seats • 33': 94 seats • 27': 74 seats

10 ROW BL10XXE

Available Lengths	21', 27', 33'
First Row Height	40"
Width	24' 6.5"
Height	13' 11.5"
Front Walkway Elevation	32" above grade
Front Walkway Width	60"
Net Seating Capacity	• 21': 104 seats • 33': 184 seats • 27': 144 seats


Transportable Bleachers

transport on site from field to field




Our all-aluminum Transportable Bleacher may be towed on site by use of a pick-up truck or tractor. All models features a chain-link guardrail and a 4' center aisle. All of our Transportable Bleachers have an 8" rise per row and a 24" tread depth.


SHADE your BLEACHERS



SUSPENDED CANTILEVER



T-CANTILEVER



5 ROW BL5XXTRS

Available Lengths	15', 21', 27'
First Row Height	17"
Width	9' 6.5"
Height	7' 11.5"
Net Seating Capacity	• 15': 42 seats • 27': 74 seats • 21': 54 seats

10 ROW BL10XXTRS

Available Lengths	15', 21', 27'
First Row Height	17"
Width	19' 6.5"
Height	11' 3.5"
Net Seating Capacity	• 15': 82 seats • 27': 144 seats • 21': 104 seats

Bleacher Transport Kit (BLTRSKITXX) required to move unit.



Site Amenities

1050 Columbia Drive
Carrollton, Georgia 30117

800.505.5101
866.426.5924 (fax)
webcoat@siibrands.com

www.srpsiteamenities.com



SUPERIOR
RECREATIONAL PRODUCTS
Site Amenities