BASKETBALL


SportsPlay Aluminum Backboard

- The Undisputed Champion!
- Over Half a Million Sold!
- Outstanding Value!
- Guaranteed for Life!

When it comes to outdoor basketball, aluminum is the clear choice.

- Better rebound than steel boards.
- Twice as thick and half the weight of steel
- Maintenance Free
- Rust Free







542-600 Aluminum



542-700W Aluminum

542-600 Aluminum

Official size and shape, with unbroken playing surface. One piece aluminum alloy backboard 54" W x 35" H with 1 1/2" deep ribs and edge.

542-700W Aluminum

Welded aluminum board, measuring 48" x 72", with 1 3/4" edges. It is strengthened on the back welded aluminum angle

Complete Bent Post Backstops

Heavy Duty 4.5" OD Post

541-616 541-616M	Aluminum Fan Aluminum Fan with nylon net	215 lbs. 215 lbs.
541-916	Acrylic Rectangle	261 lbs.
541-951	1' Post Extension	8 lbs.
541-216	Steel Rectangular-Mini	274 lbs.
541-116	Steel Rectangular-Full	330 lbs.

Shown with optional border and target. Complete with post, backboard and double strength super goal with steel chain net and 4' extension. Powder coated posts additional charge.

Color options shown on the next page.

Steel Mini Board: 54.5" W x 35.5" H, Full Board: 72" W x 48" H



Complete Bent Post Backstops


Standard 3.5" OD Post

541-614	Aluminum Fan	145 lbs.
541-314	Fiberglass Fan	137 lbs.
541-951	1' Post Extension	8 lbs.
541-514	Steel Rectangular-Mini	204 lbs.

Complete with post, backboard and single rim goal and nylon net and 3' extension. Powder coated posts additional charge.

Color options shown on the next page.

Steel Mini Board: 54.5" W x 35.5" H



SportsPlay™ Color Options

Post, Clamp and accent powder coat colors




Basketball Aluminum Backboards Lifetime Guarantee

Sportsplay guarantees its cast aluminum fan backboards for life when mounted "goal to post". If damaged under normal conditions, return backboard to our St. Louis MO plant freight prepaid for a brand new replacement board, shipped freight collect.

SportsPlay™ Super Strong Goal to Post Mounting System

The **Right** way to mount a backboard.



together directly to the post forming a solid unit. All forces of "slam dunking" are safely absorbed by the heavy steel post, not the backboard.

The **Wrong** way to mount a backboard by others.



mounted only to the backboard and is not supported by the post. The force of "slam dunking" must be resisted by the backboard alone, which can easily bend and shafter.

SportsPlay Goals and Nets



Super Goal and Nylon Net 542-973 18 lbs.

Official 18" diameter with 5/8" top and 1/2" bottom steel rings and 1/2" heavy duty braces for greater strength and rigidity than single ring goals. Front mount bracket is 3/16" x 7" wide. 12 no-tie holders and 120 thread count nylon net.



Super Goal and Steel Chain Net

542-972 18 lbs.

Official 18" diameter with 5/8" top and 1/2" bottom steel rings and 1/2" heavy duty braces for greater strength and rigidity than single ring goals. Front mount bracket is 3/16" x 7" wide.



Official Goal and Nylon Net

542-917 13 lbs.

Official 18" diameter with 5/8" steel ring and 1/2" heavy duty braces. 3/16" thick x 7" wide front mount bracket. 12 no-tie holders and 120 thread count nylon net.



Super Seven Backstop

541-637	Aluminum Fan	268 lbs.
541-837W	Welded Alum. Rect.	366 lbs.
541-937	Acrylic Rectangle	314 lbs.

Complete with backboard and double-strength Super Goal with steel chain net, mounted with SportsPlay's exclusive "goal to post" system. Braces are pictured but not included.

Tandem Six Backstop

541-636	Aluminum Fan	239 lbs.
541-756W	Welded Alum. Rect.	337 lbs.
541-936	Acrylic Rectangle	285 lbs.


Backboard and goal are mounted with the exclusive "goal to post" system. Complete with backboard and Official Goal and Nylon Net.



542-600 Aluminum



542-700W Aluminum



3.5" Adjustable Backstop

541-656	Aluminum Fan	145 lbs.
541-356	Fiberglass Fan	130 lbs.

The 3' long extension locks to the pipe anywhere between 0' and 10' with 2 set screws. Complete with pole, adjustable extensions, backboard and 542-917 Official Goal and Nylon Net.

4.5" Adjustable Backstop

541-657 Aluminum Fan 215 lbs.

Reinforced 4' adjustable extensions mounted on a 13' 6" long, steel post. Complete with white Lifetime Aluminum Fan Backboard and 542-917 Official Goal and Nylon Net.

Reinforced Bent Post Backstop

541-624	Aluminum Fan	153 lbs.
541-824W	Welded Alum. Rect.	251 lbs.
541-924	Acrylic Rectangle	199 lbs.

An extra rigid backstop with 3' extension. Complete with backboard, Official Goal and Nylon Net.



Double Basketball Backstop

541-864	Aluminum Fan 4' ext.	290 lbs.
541-866	Aluminum Fan 6' ext.	315 lbs.

Space saver for center court use. Complete with 2 backboards, Official Goal and Nylon Nets.

Wall Mounted Backstops

1' Overhang	85 lbs.
2' Overhang	95 lbs.
3' Overhang	105 lbs.
4' Overhang	115 lbs.
5' Overhang	125 lbs.
6' Overhang	135 lbs.
	2' Overhang 3' Overhang 4' Overhang 5' Overhang

Tripod design features "goal to post" mount for maximum strength. Complete with white Lifetime Aluminum Fan backboard, Official Goal and Nylon Net.










ADJUSTABLE BASKETBALL GOAL

- 38" x 60" Acrylic Backboard 3/8" thick
- Break away rim
- Adjustable from 7' 6" to 10'



Adjustable Basketball Set

532-933 (Pad not included) Surface mount set

450 lbs.



Wall Mount Basketball Set

532-659 V (Adjusts from 7'-10')

Wall mount set

450 lbs.




Funball

902-501 98 lbs. 3 1/2" OD post; 30" OD rotomolded polyethylene shell; 10.5" opening for balls; 10' H; ADA version-adjustable height. For ages 5-12 years.

Accessible Funball

902-501H For ages 5-12 years. 85 lbs.





1. Aluminum Fan

542-600 38 lbs. Ships UPS

2. Unpainted Aluminum Fan

542-600N 38 lbs. Ships UPS

3. Polythylene Fan

542-500 60 lbs.

4. Aluminum Rectangle

542-700W 130 lbs.

5. Steel Rectangle Backboard-Mini

542-800 97 lbs.

Dimensions 54.5" W x 35.5" H

5. Steel Rectangle Backboard

542-900 153 lbs.

Dimensions: 72" W x 48" H

6. Acrylic Rectangle

542-200 93 lbs. Dimensions 38" x 60"

Aluminum Fan w Goal and Net (not pictured)

542-617 60 lbs.

Ships with Official Goal and Nylon Net 542-917.

Acrylic Rectangle w Goal and Net (not pictured)

542-200G 106 lbs.

Ships with Official Goal and Nylon Net 542-917.

7. Breakaway Goal

For Playgrounds & Gyms

542-975 21 lbs. Ships UPS

8. Breakaway Goal

Heavy Duty Double Rim

542-976 29 lbs. Ships UPS

9. Perma Net

542-905 1 lbs.

10. Replacement Nets

542-902 Nylon Net 2.7 oz. Ships UPS 542-903 Steel Chain Net 1.5 lbs. Ships UPS

11. Painted Target

541-999 Aluminum boards

11. Painted Target and Border

541-998 Aluminum boards

12. Backboard Brace

542-558 15 lbs.
Pkg w/3.5" post. Ships UPS
542-668 15 lbs.


Pkg w/4.5" post. Ships UPS

13. Adjustable Mounting Board

542-353 30 lbs. 3.5" post. Ships UPS 542-654 50 lbs. 4.5" post. Ships UPS

GAME STANDARDS & TENNIS





532-330

Portable Adjustable Basketball Game Standard

532-661	Aluminum Fan	359 lbs.
532-660	Fiberglass Fan	340 lbs.

 $30" \times 30"$ base; floor protectors; wheels; adjustable net eyes; 2' extension adjusts from 8' to 10'; includes backboard, goal and net. Must be anchored to floor using 531-350 wood floor plate or 351-352 concrete floor anchor.







Multi-Purpose Game Standard

571-108 fixed 55 lbs/pr 571-109 55 lbs./pr

2 3/8" OD Adjustable net eyes. 10' 6" long for use with Ground Sockets.

H. Duty Outdoor Volleyball Net

24" x 24" x 9"

572-954 10 lbs. 4" mesh 24 thread knotted nylon webbed edges, double treated with black vinyl and reinforcing white vinyl; volleyball net measures 32' x 3'; Ships UPS.

Tether Ball

572-100 2 lbs. Official 5 ply rubber covered ball; with white nylon cord; Ships UPS

Tether Ball color subject to change

Tether Ball Post

571-110 40 lbs. 10' tall; Tether Ball sold separately; not to be used with portable game standard; 24' diameter use zone.

Two Piece Tether Ball Post

571-1102 40 lbs. Ships UPS

Net Reel

572-917 6 lbs. Ships UPS

Tennis Net

572-922 12 lbs.
3 mm double braid polyethylene netting 42' long; 1st 5 rows double netting; 2.5" double reinforced headband; 8 rows nylon stitching; 6 mm vinyl coated steel cable. Tape nylon bottom and dowels. Ships UPS.

steel; 2 adjustable double net eyes allow you to change net height with ease. H. Duty Portable Game Standard

150 lbs concrete filled base; 8' 6" post made of 1 7/8" OD galvanized

Standard Portable Game Standard

532-340 600 lbs/pr 24" x 24" x 9" 300 lbs. concrete filled based; 2 3/8" OD galvanized steel game post adjustable to 10'; 2 adjustable double net eyes allow you to change net height with ease.

Official Tennis Post

300 lbs/pr

571-106 Galvanized 82 lbs./pair 571-106-C Green powder coat 82 lbs./pair 3.5" OD. Net reel and net fittings included; meets USLTA Standards; Ships UPS.

Ground Socket

NO.	Post OD	Length	Wt.
571-202	2 3/8"	2'6"	15 lbs
571-203	2 7/8"	2'6"	18 lbs
571-204	3 1/2"	2'6"	21 lbs
571-205	4 1/2"	4'	33 lbs

Solid support; quick removal for all game standards. Supplied with neoprene seal safety cap, wrench and limit pin, creating a 6" debris trap; Ships UPS. Sold individually.



Single Post Pitch Fork Football Goal


 561-445
 10' Uprights
 660 lb./pair

 561-445M
 20' Uprights
 700 lbs./pair

Specify 23' 4" or 18' 6" Cross bar; single bent 4 1/2" OD galvanized steel support with 5' extension; 3 1/2" OD galvanized steel crossbar; 1 7/8" OD galvanized steel uprights; uprights extend 10' or 20' above crossbar, depending on model.

Single Post Pitch Fork Football Goal

561-445P Power Coated 10' Uprights 760 lbs./pair 561-445MP Power Coated 20' Uprights 800 lbs./pair






Football Goal

561-443 Heavy Duty 600 lbs./pair 3.5" OD galvanized steel support posts and crossbar; 1 7/8" OD galvanized steel uprights; specify 23' 4" or 18' 6" crossbar.


561-442 Standard 500 lbs./pair 2 3/8" OD galvanized steel support posts and crossbar; 2 3/8" OD galvanized steel uprights; specify 23' 4" or 18' 6" crossbar.





Combo Football Soccer Goal

561-451 Goal & Supports 760 lbs./pair 561-449 Goal only 650 lbs./pair 561-450 Net supports only 100 lbs./pair Specify 23' 4" or 18' 6" Cross bar; 2 7/8" ODmain frame; bottom opening is 8' x 24'; 2 3/8" OD uprights; 1 7/8" OD crossbars; 1 7/8" OD Net Supports; Net attachments are welded to lower frame; soccer net not included.



BASEBALL

SportsPlay Baseball Backstops

- Prefabricated sports panels cut installation costs in half
- Panels can be replaced or rescreened individually
- Easy to install
- 2 3/8" OD pipe frames
- Replacable in the event of vandalism



Portable Baseball Backstop

552-410 640 lbs. 552-411 With hood 725 lbs. Use with 552-151 transporter listed below.

Backstop Transporter

552-151 70 lbs. Easily transports SportsPlay portable backstop.



Protective Screens


551-105 180 lbs. Protective dugouts; includes two sports panels and three 2 3/8" OD support posts. 20' x 5' 3".

All Backstops products available with black vinyl coating.

Call for pricing



Black vinyl coated backstop



Available in 11 gauge or 9 gauge wire

Sports Panels

552-351 11 gauge wire 64 lbs. 552-355 9 gauge wire 74 lbs.

Pre-assembled 5' $3'' \times 9'7''$ panel; 1" OD frame with center reinforced brace; 11 gauge or 9 gauge wire fastened with 3/8'' aluminum rods stainless steel clamps. Easy to install.

Foul Poles

551-527 10' without wing 200 lbs./pair 551-526 20' without wing 350 lbs./pair 551-528 20' with wing (shown) 580 lbs./pair






Baseball Backstop Prefabricated Panels

No. Center Panels Wt/lbs 5' hood 45" wings 551-411 10' W x 10' H 640 1 2 (10')

11 gauge wire bolted to 2 3/8" OD pipe frame.




Baseball Backstop Prefabricated Panels


No. Center Panels Wt/lbs 5' hood 45" wings 551-521 20' W \times 15' H 1140 1 2 (10') 11 gauge wire bolted to 2 3/8" OD pipe frame.


Baseball Backstop Prefabricated Panels

No.	Center Panels	Wt/lbs	5' hood	45" wings	
551-110	10' W x 10' 7" H	195	N/A	N/A	
551-410	10' W x 10' 7" H	480	N/A	2 (10')	
551-411	10' W x 10' 7" H	640	1	2 (10')	
551-420	20' W x 10' 7" H	650	N/A	2 (10')	
551-421	20' W x 10' 7" H	840	1	2 (10')	
551-510	10′ W x 15′ 11″ H	730	N/A	2 (10')	
551-511	10' W x 15' 11" H	850	1	2 (10')	
551-210	10' W x 10' 7" H	325	N/A	2 (5'3")	
Additional backstop sizes not shown:					
551-520	20' W x 15' 11" H	940	N/A	2 (10')	
551-521	20' W x 15' 11" H	1,140	1	2 (10')	
Extra Heavy Duty 9 gauge wire					
551-522	20' W x 15' 11" H	1,200	1	2 (10')	
9 gauge wire on back panel, 11 gauge wire on side panels and hood.					









Our soccer goal features a white powder coated finish and is manufactured to meet the requirements of today's competitive

soccer specifications.

Official Steel Soccer Goal (pictured above)

Meets all Official Standards 561-501 600 lbs./pair

 $2" \times 4"$ welded steel main frame, powder coated white; Net attachments are welded to the rear of goal at 12" intervals; 1 7.8" OD rear supports; nets not included.

Soccer Net (pair)

562-930 16 lbs./pair

24' W x 8' H x 10' D; Orange 5" square mesh, 3 mm polyethylene; Ships UPS.




Portable Steel Soccer Goal


562-501 600 lbs./pair

 $2" \times 4"$ welded steel main frame, powder coated white; net attachments are welded to the rear of goal at 12' intervals; 1 7/8" OD rear supports; hardware and four anchors for positioning goal are included; nets not included.









24' Jr Soccer Goal

561-505-24 330 lbs./pair

Can be used with ground sockets to make portable units; nets not included.

Net for 24' Jr Soccer Goal

562-930 16 lbs./pair

Nylon vinyl with taped edges, weather resistant; Ships UPS.

12' Jr Soccer Goal

280 lbs./pair

2 3/8" OD galvanized steel pipe; can be used with ground sockets to make portable units; nets not included.

Net for 12' Jr Soccer Goal 562-931 15 lbs./pair

Nylon vinyl with taped edges, weather resistant; Ships UPS.





Lacrosee Goal and Net

561-605 85 lbs. Permanent 562-605 Portable 85 lbs.

Regulation size 6' W x 6' H x 7' D.

Replacement Nets

562-934 Lacrosse Goal Net 15 lbs.

3 mil. braided nylon.

